


# South Sudan

## DEMOGRAPHICS

Total population (000)	10,838	(2012)
Total under-five population (000)	1,726	(2012)
Births (000)	396	(2012)
Birth registration (%)	35	(2010)
Total under-five deaths (000)	40	(2012)
Neonatal deaths: % of all under-5 deaths	35	(2012)
Neonatal mortality rate (per 1000 live births)	36	(2012)
Infant mortality rate (per 1000 live births)	67	(2012)
Stillbirth rate (per 1000 total births)	-	
Total maternal deaths	3,000	(2013)
Lifetime risk of maternal death (1 in N)	28	(2013)
Total fertility rate (per woman)	5.0	(2012)
Adolescent birth rate (per 1000 girls)	38	(2008)

### Under-five mortality rate


Deaths per 1000 live births



Source: IGME 2013

### Maternal mortality ratio

Deaths per 100,000 live births




Source: MMEIG 2014

Note: MDG target calculated by Countdown to 2015.

## MATERNAL AND NEWBORN HEALTH

### Coverage along the continuum of care




Source: DHS, MICS, Other NS

\* See Annex/website for indicator definition


### Skilled attendant at delivery

Percent live births attended by skilled health personnel



### Prevention of mother-to-child transmission of HIV

Eligible HIV+ pregnant women receiving ART for their own health (% of total ARVs)



Source: UNICEF/UNAIDS/WHO 2013

## EQUITY

### Socioeconomic inequities in coverage

Household wealth quintile: ● Poorest 20% ● Richest 20%




Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (orange circles). The longer the line between the two groups, the greater the inequality. These estimates may differ from other charts due to differences in data sources.

## CHILD HEALTH

### Immunization

Percent of children immunized:


- against measles
- with 3 doses Hib
- with 3 doses pneumococcal conjugate vaccine
- with 3 doses DTP
- with rotavirus vaccine



### Pneumonia treatment

Percent of children <5 years with symptoms of pneumonia:

- taken to appropriate health provider
- receiving antibiotics




## NUTRITION

Wasting prevalence (moderate and severe, %)	23	(2010)	Early initiation of breastfeeding (within 1 hr of birth, %)	-	
Low birthweight incidence (moderate and severe, %)	-		Introduction of solid, semi-solid/soft foods (%)	21	(2010)
			Vitamin A two dose coverage (%)	70	(2012)


### Underweight and stunting prevalence

Percent of children <5 years who are moderately or severely:



### Exclusive breastfeeding


Percent of infants <6 months exclusively breastfed




# South Sudan

## DEMOGRAPHICS

### Causes of under-five deaths, 2012



### Causes of maternal deaths, 2013




\* Intrapartum-related events \*\* Sepsis/ Tetanus/ Meningitis/ Encephalitis

## MATERNAL AND NEWBORN HEALTH

### Antenatal care

Percent women aged 15-49 years attended at least once by a skilled health provider during pregnancy




Demand for family planning satisfied (%)	13	(2010)
Antenatal care (4 or more visits, %)	17	(2010)
Malaria during pregnancy - intermittent preventive treatment (%)	19	(2010)
C-section rate (total, urban, rural, %)	1, 1, 0	(2010)
(Minimum target is 5% and maximum target is 15%)		
Neonatal tetanus vaccine	-	-
Postnatal visit for baby (within 2 days for home births, %)	-	-
Postnatal visit for mother (within 2 days for home births, %)	-	-
Women with low body mass index (<18.5 kg/m2, %)	-	-

## CHILD HEALTH

### Diarrhoeal disease treatment


Percent of children <5 years with diarrhoea: receiving oral rehydration therapy/increased fluids with continued feeding treated with ORS



### Malaria prevention and treatment

Percent children receiving first line treatment among those receiving any antimalarial 8 (2010)

Percent children < 5 years sleeping under ITNs



## WATER AND SANITATION

### Improved drinking water coverage

Percent of population by type of drinking water source, 1990-2012


Piped on premises Other improved Unimproved Surface water

No Data

### Improved sanitation coverage

Percent of population by type of sanitation facility, 2012

Improved facilities Shared facilities Unimproved facilities Open defecation



## POLICIES

Laws or regulations that allow adolescents to access contraceptives without parental or spousal consent	No
Legal status of abortion (X of 5 circumstances)	-
Midwives authorized for specific tasks (X of 7 tasks)	-
Maternity protection (Convention 183)	-
Maternal deaths notification	No
Postnatal home visits in the first week after birth	No
Kangaroo Mother Care in facilities for low birthweight/preterm newborns	No
Antenatal corticosteroids as part of management of preterm labour	No
International Code of Marketing of Breastmilk Substitutes	-
Community treatment of pneumonia with antibiotics	Yes
Low osmolarity ORS and zinc for management of diarrhoea	No

## SYSTEMS

Costed national implementation plan(s) for: maternal, newborn and child health available	Partial (2013)
Life Saving Commodities in Essential Medicine List:	
Reproductive health (X of 3)	2 (2013)
Maternal health (X of 3)	2 (2013)
Newborn health (X of 4)	1 (2013)
Child health (X of 3)	2 (2013)
Density of doctors, nurses and midwives (per 10,000 population)	-
National availability of Emergency Obstetric Care services (% of recommended minimum)	-

## FINANCING

Per capita total expenditure on health (Int\$)	33 (2012)
General government expenditure on health as % of total government expenditure (%)	4 (2012)
Out of pocket expenditure as % of total expenditure on health(%)	57 (2012)
Reproductive, maternal, newborn and child health expenditure by source	No Data
External sources	
General government expenditure	
Out-of-pocket expenditure	
Other	
ODA to child health per child (us\$)	-
ODA to maternal and neonatal health per live birth (us\$)	-

Note: See annexes for additional information on the indicators above